L Number	Hits	Search Text	DB	Time stamp
-	0	("classsamedefinitionssameXML").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:37
-	92	class same definitions same XML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:37
-	5	(class same definitions same XML) and (convert$ with XML with class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:53
-	3	((convert$ with XML with class)) and ontology	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:40
-	40	(convert$ with XML with class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:46
-	3933	classes and relations	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:47
-	45	(classes and relations) and (XML near2 schema)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:47
-	21	((classes and relations) and (XML near2 schema)) and (instances with class$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:47
-	12	(((classes and relations) and (XML near2 schema)) and (instances with class$2)) and (view$ with class$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:48
-	11	((((classes and relations) and (XML near2 schema)) and (instances with class$2)) and (view$ with class$2)) and definitions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:48
-	8	(((((classes and relations) and (XML near2 schema)) and (instances with class$2)) and (view$ with class$2)) and definitions) and (quer$ with class$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:50
-	9	ontology near2 directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:51
-	3	ontology near2 directory	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:51
-	3	(quer$3 with class) same (relation near2 definitions)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:53

-	6	(quer$3 with class) and (relation near2 definitions)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:53
-	0	(quer$3 with class) and (relation near2 definitions) and XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:53
-	8	convert$ with XML with class	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:55
-	0	embedd$ with XML with class	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:55
-	1	embed$ with XML with class	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:57
-	57	(class and (relational near2 definitions))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:57
--	2	(class and (relational near2 definitions)) same query	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:58
-	1	((class and (relational near2 definitions)) same query) and XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:58
-	1	((class and (relational near2 definitions)) same query) and XML and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:58
-	1	((class and (relational near2 definitions)) same query) and XML and servers	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:02
-	1	((class and (relational near2 definitions)) same query) and XML and servers and central	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:03
-	5739	distributed same servers	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:03
-	619	(distributed same servers) and (class and definitions)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:05
-	71	((distributed same servers) and (class and definitions)) and XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:03
--	33	(((distributed same servers) and (class and definitions)) and XML) and (query with class)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:04
-	33	((((distributed same servers) and (class and definitions)) and XML) and (query with class)) and server	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:04
-	31	((((distributed same servers) and (class and definitions)) and XML) and (query with class)) and central	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 17:04

–	9	(distributed same servers) and ((class and definitions)same xml)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:00
–	822	(filter same (valid with data))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:09
–	53	((filter same (valid with data))) and ((propert$ or attribute) with data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:19
–	3720	valid same filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:20
–	144	(valid same filter).clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:20
–	30	((valid same filter).clm.) and (propert$ or attribtute)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:22
–	601	707/$.ccls. and filter and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:22
–	196	(707/$.ccls. and filter and valid) and HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:23
–	160	((707/$.ccls. and filter and valid) and HTML) and (transform$ or convert$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:31
–	1	(((707/$.ccls. and filter and valid) and HTML) and (transform$ or convert$)) and (filter same valid same HTML)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:34
–	1	707/$.ccls. and(filter same valid same HTML)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:35
–	0	707/$.ccls. and(filter same valid same XML)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:35
–	84	707/$.ccls. and(filter same valid)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:35
–	3	707/$.ccls. and((filter same valid)same (data near2 structure))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:36
–	21	707/$.ccls. and((filter same valid)) and HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:51
–	1	09/887524	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:53
–	6	707/$.ccls. and((filter$ with input) same valida$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:55

-	3	707/$.ccls. and((filter$ with input) same valida$) and (transform$ or convert$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:58
-	159	((filter$ with input) same valida$) and (transform$ or convert$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 10:59
-	10	707/$.ccls. and ((filter$ same input) same valida$) and (transform$ or convert$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 12:16
-	2	6418446.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 12:57
-	213	(description near2 data) same valid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 12:58
-	78	((description near2 data) same valid) and ((convert$ or transform) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 12:58
-	1	(((description near2 data) same valid) and ((convert$ or transform) with data)) and (automatically with filter$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:00
-	1677	(automatically with filter$) same (data or attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:01
-	121	((automatically with filter$) same (data or attribute)) and 707/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:01
-	78	((automatically with filter$) same (data or attribute)) and 707/$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:01
-	51	(((automatically with filter$) same (data or attribute)) and 707/$.ccls.) and (transform$ or conver$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:12
-	1603	(transform$ or conver$)with HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:12
-	68	((transform$ or conver$)with HTML) same filter$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:13
-	0	((transform$ or conver$)with HTML) same filter$ same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:13
-	0	((transform$ or conver$)with HTML) same filter$ same valida	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:14

–	0	((transform$ or conver$)with HTML) same filter$ same valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:14
–	17	((transform$ or conver$)with HTML) same filter$ and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:19
–	0	(conver$ with HTML) same filter same valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:30
–	117090	input with filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:31
–	1329	(input with filter) and (translate$ with input)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:32
–	29	(((input with filter) and (translate$ with input)) and (valid with data)) and HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:33
–	135	((input with filter) and (translate$ with input)) and (valid with data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:34
–	1484	conver$ with HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:34
–	218	(conver$ with HTML) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:34
–	122	((conver$ with HTML) and filter) and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:47
–	11	web same filters same valid$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:49
–	0	filter same HTLM same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 13:49
–	5	filter same HTML same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:06
–	11	(valid with input) same (web near2 server)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:11
–	0	(valid with input) same (web near2 server) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:11
–	67	(valid with input) and(web near2 server) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:25
–	239	valid with URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:25

–	0	(valid with URL) same filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:26
–	45	(valid with URL) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:26
–	34	(valid with URL) and filter and convert$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:28
–	252	valid near2 attribute	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:29
–	69	(valid near2 attribute) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:30
–	40	(filter$ same attribute same valid$)\	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:31
–	40	filter$ same attribute same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:44
–	51	713/200-201	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:45
–	2300	713/200.ccls. or 713/201.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:45
–	4	(713/200.ccls. or 713/201.ccls.) and (validation same filter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:47
–	43	(713/200.ccls. or 713/201.ccls.) and (valid$ same filter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 14:47
–	23	((713/200.ccls. or 713/201.ccls.) and (valid$ same filter)) and (convert$ or transform$)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:16
–	0	filter same input same componnent	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:16
–	21400	filter same input same component	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:16
–	0	(filter same input same component) and (malicious near2 attacks)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:17
–	125	malicious near2 attacks	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:17
–	32	(malicious near2 attacks) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:17

–	25	((malicious near2 attacks) and filter) and valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:20
–	17	(convert$ with attribute) same HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:21
–	0	((convert$ with attribute) same HTML) and valid$ and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:21
–	51	(convert$ same attribute) same HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:22
–	7	((convert$ same attribute) same HTML) and filter and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:34
–	110	IBM and recast	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:34
–	3	IBM and recast same template	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:34
–	3	IBM and (recast same template same filter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 16:02
–	0	IBM and (recast same template same filter) and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:36
–	0	(recast same template same filter) and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:36
–	4105	page same valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:38
–	60	page same valid same filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:38
–	637	(valid same invalid) same group	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:39
–	17	(valid same invalid) same group same filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:40
–	30	HTML same valid same invalid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 15:41
–	1	filter same URL same valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 16:03
–	14	filter$ same URL same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 16:04

–	19	filter$ same (HTML or XML) same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:27
–	24	"5765138"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:27
–	0	"5765138.pn."	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/16 17:27
–	2	5765138.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:06
–	2112	(HTML or page) with valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:06
–	2828	(HTML or page) with valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:07
–	39	((HTML or page) with valid$) same filter$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:12
–	1	(filter with instruction) same XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:14
–	3	(filter with instruction) same HTML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:14
–	0	((filter with instruction) same HTML) and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:14
–	1	(filter same instruction) same XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:15
–	1	filter same XML same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:16
–	5	filter same HTML same valid$	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:29
–	886	715/513$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:29
–	35	715/513$.ccls. and XML same valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:29
–	14	715/513$.ccls. and (XML same valid) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:55
–	2	6715129.pn. and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:00

--	0	715/513$.ccls. and ((HTML or XML) same (characteristics with valid))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:01
--	1	((HTML or XML) same (characteristics with valid))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:03
--	0	((HTML or XML) same (character$ with valid)) same filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:49
--	9	(valid with character$) same XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 11:53
--	0	((valid with character$) same XML) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:00
--	41	(HTML near2 document) same valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:20
--	3	((HTML near2 document) same valid) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:01
--	7	((HTML near2 document) same valid).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:21
--	25	(HTML same valid).ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:35
--	0	((HTML same valid).ab.) and filter and (convert$ or transform or translate)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:25
--	0	((HTML same valid).ab.) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 12:25
--	2	6311187.pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:20
--	31	(convert$ with tree) same XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:33
--	62	HTML near2 tree	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:34
--	20	(HTML near2 tree) and filter	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 13:35
--	10	(HTML near2 tree) and filter and valid	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:03
--	7587	Gross.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:04

-	8077	Gross.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:04
-	8077	Gross.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:04
-	20	Gross.in.and contributor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:05
-	1	2002/0004735	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:06
-	0	US with 2002/0004735	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:07
-	0	US2002/0004735	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:07
-	0	US near2 2002/0004735	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:07
-	0	Gross,william	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:08
-	59	(database near2 "200") same attribute	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 15:15
-	11576	automatically with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 15:37
-	59	(automatically with filter) same instructions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 15:37
-	7	((automatically with filter) same instructions) and HTML	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 15:38

converting document to HTML format | Search |

"to" is a very common word and was not included in your search. [details]

Web

Results **1 - 10** of about **1,510,000** for <u>converting</u> <u>document</u> to <u>HTML</u> <u>format</u>. (0.43 seconds)

Adobe Acrobat - Adobe PDF Conversion by Simple Form
... To **convert** an Adobe® Portable **Document Format** (PDF) file to **HTML**, simply type a URL for an Adobe PDF **document** into this electronic form and select Get This ...
access.adobe.com/simple_form.**html** - 7k - Aug 18, 2004 - <u>Cached</u> - <u>Similar pages</u>

Word Processor Filters
... It is good at **converting documents** with many stories, as it creates a ... Author plug-in that lets PageMaker users export PageMaker publications into **HTML format**. ...
www.w3.org/Tools/Word_proc_filters.**html** - 30k - <u>Cached</u> - <u>Similar pages</u>

clicktoconvert.com - Create, **Convert** and print PDF Files and **HTML** ...
... PDF **Format Convert** Word To HTML **Convert** PDF To Word **Document** Print Any **Document** Conversion Data ... requirements.PDF Conversion Software, **Converting** Word **Document** ...
www.clicktoconvert.com/ - <u>Similar pages</u>

ATS QuickTakes: Word to **HTML**
... link in the **converted HTML document** will be to a .gif file because it assumes that you run an external converter on the images to **convert** it to .gif **format**. ...
www.cit.cornell.edu/atc/materials/QT/rtfqt.**shtml** - 11k - <u>Cached</u> - <u>Similar pages</u>

PDF Converter by IntraPDF **convert** pdf to html
... As opposed to PDF, **HTML documents** can be read by any Internet user. ... Therefore, **HTML format** is recommended to reach a wider audience. ... **Convert** PDF to WORD **format** ...
www.intrapdf.com/ - 12k - Aug 18, 2004 - <u>Cached</u> - <u>Similar pages</u>

LEARN THE NET: File Formats & Extensions
... Plain Text (ASCII) Files .**html**/.htm The language in ... **documents** (including brochures or other **documents** containing artwork ... allows the user to **convert** binary data ...
www.learnthenet.com/english/**html**/34filext.htm - 26k - <u>Cached</u> - <u>Similar pages</u>

convert document format pdf word free info
... Adobe PDF Conversion by Simple Form. This Web page is available in French. ... To **convert** an Adobe® Portable **Document Format** (PDF) file to **HTML** ... ...
www.pdfconverter.com/convert/ convert-**document-format**-pdf-word.**html** - 14k - <u>Cached</u> - <u>Similar pages</u>

157086 - WD97: Limitations of **Converting** from Word **Format** to **HTML**
... using the Background command on the **Format** menu. ... to populate a single frame with a new **HTML document**. Because of Word's limitation on **converting** frames, Word ...
support.microsoft.com/default.aspx?kbid=157086 - 21k - <u>Cached</u> - <u>Similar pages</u>

WinPDF - Create PDF **documents** and **convert documents** into PDF ...
... Make PDF version of your Visio **documents**. **Convert** Postscript .PS files into PDF **format**. Create e-books or e-zines and more... Features of WinPDF. ...
www.pdfdesk.com/winpdf.**html** - 12k - <u>Cached</u> - <u>Similar pages</u>

Converting Documents: UWEC WebPub Series
... save the **document** as HTML by changing the file type to **HTML**. ... be somewhat similar to the following instructions: Open the **document** that you want to **convert**; ...
www.uwec.edu/help/**html**/B-convert.htm - 12k - <u>Cached</u> - <u>Similar pages</u>

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google ▾ | | 🔍 Search Web ▾ | 🔲 49 Pop-ups blocked | 📰 News | 🗐 AutoFill | ✐ |

converting document to HTML for Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google